



CONCUSSION IN SPORTS

A FACT SHEET FOR KETTLE MORAINÉ ATHLETES AND PARENTS*

WHAT IS A CONCUSSION?

A CONCUSSION IS A BRAIN INJURY THAT:

- Is caused by a bump, blow or jolt to the head or body.
- Is always serious and can change the way your brain works.
- Can occur during practices or games in any sport or recreational activity or motor vehicle accident.
- Can happen even if you have not lost consciousness.
- Can be serious even if you have just been dinged or “had a ringer.”

WHAT ARE THE SIGNS AND SYMPTOMS?

SIGNS OBSERVED BY PARENTS OF OTHERS

- Appears dazed or stunned
- Is confused
- Forgets instructions
- Is unsure of game, score, or opponents
- Moves clumsily
- Shows mood, behavior, or personality change
- Cannot recall events prior to hit or fall
- Cannot recall events after hit or fall

SYMPTOMS REPORTED BY THE ATHLETE

- Head ache or pressure
- Nausea or vomiting
- Balance problem or dizziness
- Double or blurry vision
- Sensitivity to light or noise
- feeling sluggish, hazy, foggy or groggy
- Concentration or memory problems
- Just not feeling “right” or “feeling down”

WHAT TO DO IF YOU SUSPECT A CONCUSSION:

TELL THE COACH, ATHLETIC TRAINER OR SCHOOL NURSE. They need to know if you have had a head injury or if you have had a previous concussion.

SEEK MEDICAL ATTENTION. A health care professional experienced in evaluating concussions will be able to diagnose and treat a concussion and determine when it is safe to return to plan. *A student who sustains a concussion cannot return to a Kettle Moraine athletic activity until a qualified health care professional indicates it is safe to do so. (physician, nurse, athletic trainer)*

STAY OUT OF PLAY UNTIL FULLY RECOVERED.

A concussed brain needs time to heal. While a brain is still healing there is a much greater chance of another concussion. Repeat concussions can slow recovery and increase the likelihood of long-term problems. In rare cases, repeat concussions can result in permanent brain damage and even death.

INFORM THE SCHOOL STAFF OF ALL CONCUSSIONS.

A concussion can impact a student’s ability to do academic work and other activities such as computer use, studying, driving or exercising. If needed the school nurse and your teachers can help adjust school activities during the recovery period.

REST IS THE ONLY TREATMENT FOR CONCUSSION.

Physical and cognitive rest are necessary for the brain to return to normal functioning. Any activities that provoke the reoccurrence of symptoms should be discontinued.

ImPACT NEURO COGNITIVE BASELINE TESTING (HIGH SCHOOL STUDENTS ONLY)

As part of the District’s efforts to minimize concussion related injuries, every school athlete is requested to participate in ImPACT baseline screening. ImPACT is a computerized exam utilized in sports programs across the country to manage concussion and guide return to play decisions. This is a non invasive, simple test set up in a “video game” format and takes about 20 minutes to compete. The baseline testing records an individual’s reaction time, memory, speed and concentration. It is not an IQ test or utilized for any purpose other than to establish a baseline measure for a comparison should a student later sustain a concussion. The test data will help health professionals determine when a concussed athlete is fully recovered and safe to return to full academic and physical activity.

If you think you have a concussion: Don’t hide it! Report it! Take time to recover!



CONCUSSION IN SPORTS

A FACT SHEET FOR KETTLE MORAINE ATHLETES AND PARENTS*

CONCUSSION DANGER SIGNS

Be alert for symptoms that worsen over time. Your child or teen should be seen in an emergency department right away if he/she exhibits any of the following symptoms:

- One pupil (the black part in the middle of the eye) larger than the other
- Drowsiness or cannot be awakened
- A headache that gets worse and does not go away
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Difficulty recognizing people or places
- Increasing confusion, restlessness, or agitation
- Any loss of consciousness should be taken very seriously

RETURN TO PLAY GUIDELINES

Children and teens with a concussion should never return to sports or recreation activities on the same day the injury occurred. They should delay returning to their activities until a health care professional experienced in evaluating for concussion says they are symptom-free and it's OK to return to play. This means, until permitted, not returning to:

- Physical Education (PE) class,
- Sports practices or games, or
- Physical activity at recess

Current recommendations are for a stepwise return to play program. In order to resume activity, the athlete must be symptom free and off any pain control or headache medications. The athlete should be carrying a full academic load without any significant accommodations. Finally, the athlete must have clearance from an appropriate health care provider.

The program described below is a guideline for returning concussed athletes when they are symptom free. Athletes with multiple concussions and athletes with prolonged symptoms often require a very different return to activity program and should be managed by a physician that has experience in treating concussion. The following program allows for one step per 24 hours. The program allows for a gradual increase in heart rate/physical exertion, coordination, and then allows contact. If symptoms return, the athlete should stop activity and notify their healthcare provider before progressing to the next level.

STEP ONE: About 15 minutes of light exercise:
stationary biking or jogging

STEP TWO: More strenuous running and sprinting
in the gym or field without equipment

STEP THREE: Begin non-contact drills in full uniform.
May also resume weight lifting

STEP FOUR: Full practice with contact

STEP FIVE: Full game clearance

If you think you have a concussion: Don't hide it! Report it! Take time to recover!

